

UpTake



SOIL ADJUVANT - WETTING AGENT

FOR USE IN CALIFORNIA ONLY

Active Ingredient: Didecyldimethylammonium chloride	7.5%
Isopropanol.....	10.0%
Water.....	82.5%
TOTAL	100%

Information regarding the contents and levels of metals in this product is available on the internet at <https://www.aapfco.org/metals.html>

CONTAINS NON-PLANT FOOD INGREDIENTS

DIRECTIONS

Use UpTake Pro as a wetting agent for irrigation water. UpTake Pro is a biodegradable wetting agent and is designed for indoor growing, turf, trees, fields, nurseries, greenhouses, and orchards.

UpTake Pro increases penetration of water through soil. May be applied in irrigation systems: sub-irrigation, overhead-irrigation, spray-irrigation, and drip-irrigation.

TREAT LOCALIZED DRY SPOT (LDS) GOLF COURSES, ATHLETIC FIELDS, COMMERCIAL AND RESIDENTIAL TURF

UpTake is designed to help prevent and cure Localized Dry Spot (LDS).

To prevent LDS, UpTake Pro should be applied early in the season at a rate of 0.75 fl. oz. per gallon of water or fertilizer, applying 2 gallons of solution per 1000 sq. feet, once every 2 weeks or as needed.

For severe LDS, use 2 applications of UpTake Pro, 2 weeks apart at a rate of 2.0 fl. oz. per gallon of water or fertilizer, applying 4 gallons of solution per 1000 sq. feet. Then return to a 0.75 fl. oz. per gallon rate. In hot and dry conditions, pre-wet the affected area before applying the UpTake Pro solution.

Contact Pace 49 for more detailed instructions.

APPLICATION RATES

Direct Injection	0.003 - 0.026 fl.oz./gal
Weekly	0.051 - 0.068 fl.oz./gal
Every 2 Weeks	0.12 - 0.25 fl.oz./gal
Every 2-3 Weeks (Orchard and Fields Only)	0.5 - 2.0 fl.oz./gal

Always test tank mix solutions on a small area first to ensure no phytotoxicity occurs on plant material.

DO NOT MIX IN FERTILIZER STOCK TANKS

Keep Out Of Reach Of Children

PRECAUTIONARY STATEMENTS:

Do not breathe dust/fume/gas/mist/vapors spray.

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection. Keep away from heat/sparks/open flames/hot surfaces.

Keep in original container and away from heat, open flames, combustible materials, and hot surfaces. No smoking.

First Aid:

Specific Treatment (See Section 4 on the SDS).

If In Eyes:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician if you feel unwell.

If On Skin Or In Hair:

Immediately remove all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse.

If Inhaled:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTRE or physician.

If Swallowed:

Rinse mouth. Do NOT induce vomiting.

In Case of Fire:

Use CO2, dry chemical, or foam for extinction.

Storage:

Store between 32oF and 100oF, away from food stuffs. Do not reuse empty container. Before discarding empty container, rinse thoroughly with water and dispose of the rinsate in accordance with federal, state and local regulations.

Disposal:

Dispose of contents/container to an approved waste disposal plant.



DANGER

CAUSES SEVERE SKIN BURNS AND EYE DAMAGE

PRODUCT OF USA